



< Rotary hammers

GBH 2-28 PROFESSIONAL

ROTARY HAMMER WITH SDS PLUS



<

1 / 7

>

Functions & key features



Top performance with intelligent KickBack Control

- Best performance in its class with improved power
- Increased user protection with KickBack Control (KBC) in order to minimise the risk of injury
- Active vibration damping with counter oscillator for minimal vibration levels

Your Selection

- ✓ in L-BOXX inlay with auxiliary handle, Accessory

Show variant

1,219.00 QAR

Recommended retail price excluding VAT

Check availability on location

 Find a local dealer

GBH 2-28 PROFESSIONAL

✓ YOUR SELECTION



**in L-BOXX inlay with auxiliary handle,
Accessory**

Order number: 0 611 267 561

1,219.00 QAR

Recommended retail price excluding VAT

 Find a local dealer

Included in this variant

- + Auxiliary handle
Order number: 2 602 025 141
- + L-BOXX 136
Order number: 1 600 A01 2G0
- + Voltage 110 V
- + L-BOXX inlay
- + Machine cloth
- + Depth stop 210 mm
Order number: 1 613 001 010

Your selection <https://www.bosch-professional.com/qa/en/products/gbh-2-28-professional>

TECHNICAL DATA

Performance data

Impact rate at rated speed	0 – 4,000 bpm
----------------------------	---------------

Rated speed	0 – 900 rpm
-------------	-------------

Additional data

Rated input power	880 W
-------------------	-------

Additional data

Impact energy (according to EPTA 05/2016)	3.2 J
Voltage, electrical	110 V
Weight	3 kg
Tool holder	SDS plus

Drilling range

Drilling dia. concrete, hammer drill bits	4 – 28 mm
Opt. appl. range concrete, hammer drill bits	8 – 16 mm
Drilling diameter in concrete with core cutters	68 mm

Total vibration values (Hammer drilling in concrete)

Vibration emission value ah	11 m/s ²
Uncertainty K	1.5 m/s ²

Total vibration values (Chiselling in concrete)

Vibration emission value ah	8.1 m/s ²
Uncertainty K	1.5 m/s ²


Hammer drilling in concrete

Vibration emission value ah	11 m/s ²
Uncertainty K	1.5 m/s ²

Chiselling in concrete

Vibration emission value ah	8.1 m/s ²
Uncertainty K	1.5 m/s ²

The A-rated noise level of the power tool is typically as follows: Sound pressure level 92 dB(A); Sound power level 100 dB(A). Uncertainty K= 3 dB.



* You can find more information about the deviations in the following link: [Technical features of products](#)

GBH 2-28 PROFESSIONAL: FURTHER INFORMATION

Product Highlights

The GBH 2-28 Professional is the strongest tool within the Bosch 2 kg SDS plus corded rotary hammer category. Its robust motor delivers an outstanding 3.2 J of impact energy for high-power drilling performance. The rotary hammer also features KickBack Control for increased user protection and Vibration Control for effortless and continuous work in time-intensive applications.

NEED A SPARE PART?

Here you will find the right spare parts for your professional tool



[Find a spare part](#)

FITS TO GBH 2-28 PROFESSIONAL

EXPERT



**EXPERT SDS
plus-7X
Hammer Drill
Bit**

EXPERT



**EXPERT SDS
plus-7X
Hammer Drill
Bit Set**

EXPERT



**EXPERT SDS
plus-7X
Hammer Drill
Bit Set**

EXPERT



**EXPERT
plus-7
Hammer
Bit Set**

For rotary hammer
drills

Long Life drilling re-
inforced concrete

For rotary hammer
drills

Long Life drilling re-
inforced concrete

For rotary hammer
drills

Long Life drilling re-
inforced concrete

For rota
drills

Long Lif
inforced



Material	Material	Material	Material
Variants:140	Variants:4	Variants:4	Variants:4
(https://www.bosch-professional.com/qa/en/expert-sds-plus-7x-hammer-drill-bit-2867204-ocs-ac/?sku=2608900072)	(https://www.bosch-professional.com/qa/en/expert-sds-plus-7x-hammer-drill-bit-set-2868962-ocs-ac/?sku=2608900195)	(https://www.bosch-professional.com/qa/en/expert-sds-plus-7x-hammer-drill-bit-set-2868962-ocs-ac/?sku=2608900196)	(https://www.bosch-professional.com/qa/en/expert-sds-plus-7x-hammer-drill-bit-set-2868962-ocs-ac/?sku=2608900197)

< 1 / 3 >

DOWNLOADS

USER MANUAL

- ⬇ Instruction manual | GBH 2-28 F | GBH 2-28 (PDF 8.0 MB)
- ⬇ Insert | Herstellergarantie | Manufacturer's guarantee (EU) (PDF 0.2 MB)
- ⬇ Instruction manual | GBH 2-28 F | GBH 2-28 (Online version)

DISTRIBUTORS | SERVICE CENTERS

Find the distributor or service center close to you

Learn more [\(https://www.bosch-professional.com/qa/en/services/after-sales-service/customer-service/\)](https://www.bosch-professional.com/qa/en/services/after-sales-service/customer-service/)



Career

Press

Privacy settings

Report a Vulnerability

