



< Rotary hammers

GBH 8-45 DV PROFESSIONAL

ROTARY HAMMER WITH SDS MAX



<

1 / 6

>

Functions & key features



Powerful 1500 watt at low vibrations

- User buys a GBH 8-45 DV Professional and gets various accessories for free!
- Peak performance in Drilling and Chiselling
- Three-way Vibration Control System, Turbo Power Function

Your Selection

- ✓ in carrying case with auxiliary handle

Show variant

3,749.00 QAR

Recommended retail price excluding VAT

Check availability on location

 Find a local dealer

GBH 8-45 DV PROFESSIONAL

✓ YOUR SELECTION



in carrying case with auxiliary handle

Order number: 0 611 265 060

3,749.00 QAR

Recommended retail price excluding VAT

 Find a local dealer

Included in this variant

- + Auxiliary handle (spare part number 1 612 025 004)
- + Carrying case (spare part number 1 615 438 51A)
- + Grease tube (spare part number 1 615 430 010)
- + Machine cloth

(<https://www.bosch-professional.com/qa/en/products/gbh-8-45-dv-professional>)

Your selection

TECHNICAL DATA

Performance data

Impact rate at rated speed	1,475 – 2,700 bpm
Rated speed	165 – 300 rpm

Additional data

Rated input power	1500 W
Impact energy (according to EPTA 05/2016)	12.5 J
Voltage, electrical	110 V

Additional data

Weight	8.9 kg
Tool holder	SDS max

Drilling range

Drilling dia. concrete, hammer drill bits	12 – 45 mm
Opt. appl. range concrete, hammer drill bits	20 – 40 mm
Drilling dia. concrete, breakthrough drill bits	80 – 80 mm
Drilling diameter in concrete with core cutters	125 mm

Total vibration values (Hammer drilling in concrete)

Vibration emission value ah	10.3 m/s ²
Uncertainty K	1.5 m/s ²

Total vibration values (Chiselling in concrete)

Vibration emission value ah	8.7 m/s ²
Uncertainty K	1.5 m/s ²


Hammer drilling in concrete

Vibration emission value ah	10.3 m/s ²
Uncertainty K	1.5 m/s ²

Chiselling in concrete

Vibration emission value ah	8.7 m/s ²
Uncertainty K	1.5 m/s ²

The A-rated noise level of the power tool is typically as follows: Sound pressure level 94 dB(A); Sound power level 105 dB(A). Uncertainty K= 3 dB.



* You can find more information about the deviations in the following link: [Technical features of products](#)

GBH 8-45 DV PROFESSIONAL: FURTHER INFORMATION

Product Highlights

The GBH 8-45 DV Professional with Vibration Control is an all-round performer in the SDS max corded rotary hammer category due to its universal capabilities. Its perfect power-to-weight ratio enables it to easily perform many SDS max tasks, balancing strength and ease of use. This rotary hammer also features robust metal components for durability. Its strong motor enables the delivery of 12.5 J of impact energy for a fast drilling and chiselling progress.

NEED A SPARE PART?

Here you will find the right spare parts for your professional f



[Find a spare part](#)

FITS TO GBH 8-45 DV PROFESSIONAL



GDE 162

System Accessories



GDE 68

System Accessories



GDE max

System Accessories

Variants:1 from 359.00 QAR Recommended retail price excluding VAT (https://www.bosch-professional.com/qa/en/products/gde-100-1000100100)	Variants:1 from 259.00 QAR Recommended retail price excluding VAT (https://www.bosch-professional.com/qa/en/products/gde-00-1000100100)	Variants:1 from 519.00 QAR Recommended retail price excluding VAT (https://www.bosch-professional.com/qa/en/products/gde-100-1000100100)
--	--	--

DOWNLOADS

USER MANUAL

-  Insert | Herstellergarantie | Manufacturer's guarantee (EU) (PDF 0.2 MB)
-  Instruction manual | GBH 8-45 DV | GBH 8-45 D (PDF 4.8 MB)

DISTRIBUTORS | SERVICE CENTERS

Find the distributor or service center close to you

Learn more [\(//www.bosch-professional.com/qa/en/services/after-sales-service/customer-service/\)](https://www.bosch-professional.com/qa/en/services/after-sales-service/customer-service/)



- Imprint Robert Bosch Power Tools GmbH
- Privacy statement
- About Bosch
- Sustainability
- Career
- Press
- Privacy settings
- Report a Vulnerability

